Serial No.: 10/736,480

Filed: December 15, 2003

Page : 2 of 9

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Previously Presented) An article, comprising:

a fuel cell diffusion layer; and

a sulfonic acid moiety covalently bonded to the fuel cell diffusion layer,

wherein the sulfonic acid moiety has the formula RSO₃H, and R is an alkenyl

moiety substituted with halogen.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Previously Presented) The article of claim 1, wherein R is alkenyl substituted with fluorine.
- 5. (Original) The article of claim 1, wherein the fuel cell diffusion layer comprises carbon.
- 6. (Original) The article of claim 5, wherein the fuel cell diffusion layer is in the form of a sheet.
- 7. (Original) The article of claim 1, wherein the fuel cell diffusion layer further comprises a catalyst.
 - 8. (Original) The article of claim 7, wherein the catalyst is Pt.

Serial No.: 10/736,480

Filed: December 15, 2003

Page : 3 of 9

9. (Original) The article of claim 7, wherein the fuel cell diffusion layer comprises from about one weight percent to about 50 weight percent of the catalyst.

- 10. (Original) The article of claim 1, wherein an aqueous permeability of the article is greater than the aqueous permeability of the fuel cell diffusion layer.
- 11. (Original) The article of claim 1, wherein the article comprises a proton conducting material.
- 12. (Original) The article of claim 11, wherein the proton conducting material comprises perfluorinated sulfonic acid.
- 13. (Original) The article of claim 1, wherein the article has an initial contact angle with water of less than about 125°.
- 14. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 15% less than an initial contact angle of water with the diffusion layer.
- 15. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 30% less than an initial contact angle of water with the diffusion layer.
- 16. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 40% less than an initial contact angle of water with the diffusion layer.
- 17. (Original) The article of claim 1, wherein the article has an initial contact angle with water that is at least about 20° less than an initial contact angle of water with the diffusion layer.

Serial No.: 10/736,480

Filed: December 15, 2003

Page : 4 of 9

18. (Previously Presented) A fuel cell, comprising:

a first fuel cell flow plate;

a second fuel cell flow plate;

an electrolyte between the first and second fuel cell flow plates;

a diffusion layer between the first fuel cell flow plate and the electrolyte; and

a sulfonic acid moiety covalently bonded to the diffusion layer,

wherein the sulfonic acid moiety has the formula RSO₃H, and R is an alkenyl

moiety substituted with halogen.

19. (Original) The fuel cell system of claim 18, wherein the fuel cell is a proton-

exchange membrane fuel cell.

20. (Original) The fuel cell system of claim 18, wherein the fuel cell is a direct-feed

liquid fuel cell.

21. (Original) The fuel cell system of claim 18, wherein the fuel cell is a direct

alcohol fuel cell.

22. (Original) The fuel cell system of claim 18, wherein the fuel cell system is a

direct methanol fuel cell system.

23. (Original) The fuel cell system of claim 18, wherein the fuel cell system is a

direct propanol fuel cell system.

24-32. (Cancelled).

33. (Previously Presented) An article, comprising:

a fuel cell diffusion layer; and

an acidic moiety covalently bonded to the fuel cell diffusion layer,

Serial No.: 10/736,480

Filed: December 15, 2003

Page : 5 of 9

wherein:

the acidic moiety has the formula R-A;

A is selected from the group consisting of SO₃H, PO₃H₂, AsO₃H₂, and

COOH; and

R is an alkenyl moiety substituted with halogen.

- 34. (Previously Presented) The article of claim 1, wherein the fuel cell diffusion layer comprises carbon paper and the sulfonic acid moiety is covalently bonded to the carbon paper.
- 35. (Previously Presented) The article of claim 1, wherein the fuel cell diffusion layer comprises a carbon sheet and the sulfonic acid moiety is covalently bonded to the carbon sheet.
- 36. (Previously Presented) The fuel cell of claim 18, wherein the diffusion layer comprises carbon paper and the sulfonic acid moiety is covalently bonded to the carbon paper.
- 37. (Previously Presented) The fuel cell of claim 18, wherein the diffusion layer comprises a carbon sheet and the sulfonic acid moiety is covalently bonded to the carbon sheet.
- 38. (Previously Presented) The article of claim 33, wherein the fuel cell diffusion layer comprises carbon paper and the acidic moiety is covalently bonded to the carbon paper.
- 39. (Previously Presented) The article of claim 33, wherein the fuel cell diffusion layer comprises a carbon sheet and the acidic moiety is covalently bonded to the carbon sheet.
- 40. (Previously Presented) The article of claim 1, wherein the alkenyl moiety comprises a C_2 - C_{10} alkenyl.
- 41. (Previously Presented) The article of claim 1, wherein the alkenyl moiety comprises a C_2 - C_6 alkenyl.

Serial No.: 10/736,480 Filed: December 15, 2003

: 6 of 9 Page

42. (Previously Presented) The article of claim 1, wherein the alkenyl moiety comprises a C₂-C₃ alkenyl.